
	<b>Measurement Units, Standards, and Services Department</b> <b>General Requirements for Taximeter along with recommendation of OIML R21 Annex 03 – Sample Front Faces for Taximeter</b>	Date of Issue : 2014.12.03	Doc No: PA-TP-01	
		Rev No: 0	1 of 5	


**Sample front faces of taximeter**



**01 Taximeter with fare type selection**




	<b>Measurement Units, Standards, and Services Department</b> <b>General Requirements for Taximeter</b> <b>along with recommendation of OIML R21</b> <b>Annex 03 – Sample Front Faces for Taximeter</b>	Date of Issue : 2014.12.03	Doc No: PA-TP-01	
		Rev No: 0	2 of 5	


**02 taximeters without fare type selection**



	<b>Measurement Units, Standards, and Services Department</b> <b>General Requirements for Taximeter along with recommendation of OIML R21 Annex 03 – Sample Front Faces for Taximeter</b>	Date of Issue : 2014.12.03	Doc No: PA-TP-01	
		Rev No: 0	3 of 5	



**03 Taximeter for long distance travel with fare type selection**

<b>MANUFACTURER NAME, TAXIMETER MODEL</b> <sub>(3mm)</sub>		
<b>TOTAL FARE (RS/=)</b> <sub>(5mm)</sub> <div style="border: 1px solid black; padding: 5px; text-align: center; font-size: 2em; font-weight: bold;"> <b>9.9.9.9.9</b> </div>	<b>FARE TYPE</b> <div style="border: 1px solid black; padding: 5px; text-align: center; font-size: 1.5em; font-weight: bold;"> <b>9.9.</b> </div>	
<b>DISTANCE (km)</b> <div style="border: 1px solid black; padding: 5px; text-align: center; font-size: 1.5em; font-weight: bold;"> <b>9.9.9.9.9</b> </div>	<b>WAIT TIME (hh:mm)</b> <div style="border: 1px solid black; padding: 5px; text-align: center; font-size: 1.5em; font-weight: bold;"> <b>9.9.9.9</b> </div>	
<div style="border: 1px solid black; border-radius: 50%; padding: 5px; width: 40px; margin: 0 auto;">           Pulse Indicator Light         </div>		
<div style="border: 1px solid black; padding: 5px; text-align: center; font-size: 1.5em; font-weight: bold;"> <b>VEHICLE NUMBER</b> </div>		<b>TAXIMETER SERIAL NUMBER</b> <sub>(3mm)</sub>
<div style="border: 1px solid black; border-radius: 50%; padding: 10px; width: 80px; margin: 0 auto;">           VERIFICATION SEAL         </div>		

	<b>Measurement Units, Standards, and Services Department</b> <b>General Requirements for Taximeter along with recommendation of OIML R21 Annex 03 – Sample Front Faces for Taximeter</b>	Date of Issue : 2014.12.03	Doc No: PA-TP-01	
		Rev No: 0	4of 5	

**04 taximeters with long distance travel without fare type selection**

MANUFACTURER NAME, TAXIMETER MODEL(3mm)		COMPANY LOGO
TOTAL FARE (RS/=) <sub>(5mm)</sub>		
<div style="border: 1px solid black; padding: 5px; display: inline-block;"> <b>9.9.9.9.9</b><sub>(10mm)</sub> </div>		
DISTANCE (km)	WAIT TIME (hh:mm)	
<div style="border: 1px solid black; border-radius: 50%; padding: 5px; display: inline-block;">           Pulse Indicator Light         </div>	<div style="border: 1px solid black; padding: 5px; display: inline-block;"> <b>9.9.9.9.9</b><sub>(5mm)</sub> </div>	<div style="border: 1px solid black; padding: 5px; display: inline-block;"> <b>9.9:9.9</b> </div>
<div style="border: 1px solid black; padding: 5px; display: inline-block;"> <b>VEHICLE NUMBER</b><sub>(5mm)</sub> </div>	TAXIMETER SERIAL NUMBER(3mm)	
<div style="border: 1px solid black; border-radius: 50%; padding: 10px; display: inline-block;">           VERIFICATION SEAL         </div>		

	<b>Measurement Units, Standards, and Services Department</b> <b>General Requirements for Taximeter</b> <b>along with recommendation of OIML R21</b> <b>Annex 03 – Sample Front Faces for Taximeter</b>	Date of Issue :	Doc No:	
		2014.12.03	PA-TP-01	
		Rev No: 0	5of 5	